

Commercial Matting Systems



3-Mat Systems Outdoor Mats Indoor Mats Logo & Specialty Mats Ergonomic Mats

> 2015 PRODUCT CATALOG

www.CrownMats.com



Crown Matting Technologies,

located in Fremont, Ohio, has been setting the pace in commercial matting, using proprietary innovative technologies to further our products and provide incomparable value to the industry for over 70 years.

WELCOME

From front door to back, and every step in between, Crown brings forward comprehensive matting solutions by offering the most diverse selection of matting in the industry, while continuing to lead in the area of custom cut matting solutions.

Crown Matting Technologies has been fortunate to serve a generation of business owners and public institutions, helping maintain and improve both the appearance and safety of buildings worldwide. We're honored to have done so. We look forward to continuing to bring forward innovative and comprehensive matting solutions



MATTING TECHNOLOGIES

Working hard for the hard working.[™]

Total Confidence Warranty means we stand behind this product for the life of the product. See our website for complete details.

Exclusive ThermoFlex[™] Technology offers increased durability and allows for custom width of up to 11'9".

Look for LOGO icon throughout this catalog to know which matting products are a part of our

Our patented Zedlan™ Foam outwears and outperforms standard foam by nearly 3 to 1.

Exclusive technology that permanently bonds two surfaces without use of glues or adhesives.

Our Slip-Resistant icon indicates foam products coated with our unique slip-resistant formulation to provide additional safety benefits.

The D.I.N.P Free icon indicates products that comply with the State of California's Proposition 65 regulations.

CONTENTS

PRODUCT NAME	ITEM#PAGE
3-Mat System	2
Cambridge™ Oxford™ Elite Oxford™ Fore-Runner™ Cross-Over™ Walk-A-Way™	
Outdoor Mats	6
Boardwalk™ Commercial Clean Mac Diamond-Deluxe™ Due Mat-A-Dor™ Spaghetti Mat™ Crown-Tred™	hine [®] 110 7 125/126 8 100 8 130/131 9
Indoor Mats	10
Dura-Dot [™] Marathon [™] Tire-Track [™] EcoPlus [™] Grounds-Keeper [™] Skyline	228
Needle-Pin [®] Chevron [™] Dust-Star [™] Wonder-Pro [™]	

Logo/Specialty Mats

Super-Soaker™ Diamond......261/262...

Super-Soaker[™] Fan......**252/253/254** 17

Super-Soaker™..

Graphic Inlay	19
Flocked Mat010	20
Embossed Anti-Fatigue Mat050	20
HD Jet-Print [™] , Jet-Print [™] 035/021	21
Crown-Tred [™] Printed040	21
Stat-Zap® Carpet Top900	22
Walk-N-Clean [™]	22
Disinfectant Boot Bath102	22
Chair Mats	22
Accessories	23
Rug-Hugger [™] Backing	23
Mat-Lock™ Backing	23
Velcro® Backing Strips	23
Nosing	23
Tack-Tape [™]	23

.... 17

.... 17

18

24

Ergonomic Mats

Workers-Delight [™] Slate 546/556	25
Workers-Delight [™] Supreme541	25
Workers-Delight [™] Traction Plus543	/55326
Workers-Delight [™] Deck Plate 540	/ 550 26
Wear-Bond [™] Comfort-King [™] 560	
Alleviator [™] Comfort-King [™] 465	
Comfort-King [™] 440/445	
Para-Mount [™] 649	
Safety-Step [™] Solid-Top	
Yoga-Flex [®] 695	
Wear-Bond [™] Tuff-Spun [®] 520/522	
Tuff-Spun [®] Foot-Lover™410/411/43	0/431 .30
Safety-Step [™] Perforated680/681	31
Safewalk-Light™645/646	
Sani-Tred [™]	
Runners	
Pro-Tekt [™] 820	
Deck Plate850	
Sta-Kleen [™] 800	
Corrugated Rubber	
Gym-Dandy [™]	
Care & Maintenance, Warranty	

3-Mat System

Scraper

- Scrapes Heavy Debris
- Your first defense against mud, dirt, and snow
- Choose matting with a non-absorbent scraping surface, or open weave backing, to allow moisture to drain naturally

Scraper/Wiper

- Cleans & Absorbs Moisture
- The workhorse of the system
- Designed to remove and contain soil, waste particles and moisture at the entrance

3

? Wiper

- Absorbs Moisture & Dries
- Removes remaining moisture, fine fragments and dust from footwear upon entrance to the interior of building







#275 Cambridge[™] SCRAPER | HEAVY TRAFFIC



#265 Oxford[™] Elite

SCRAPER / WIPER | HEAVY TRAFFIC



#360 Oxford[™] WIPER | HEAVY TRAFFIC



FEATURES

 Innovated Polyamide Nylon 6 monofilament and Nylon 6,6 fibers provide one of the most aggressive scraping technologies in the industry, trapping dirt before it infiltrates the building • Rubber backing provides increased durability in mild to severe environments

SPECIFICATIONS

Standard Sizes: 2'x 3' 3'x 5' 3'x 10' 4'x 6' (Trade sizes, see actual specs in price list)

3′x10′ 4′x6′

similar wipers in the market

risk of slips and falls

3'x 60' 4'x 60' 6'x 60'

4' x 10'

3′ x 5′

4′ x 10′

3′x10′ 4′x6′

3'x 60' 4'x 60' 6'x 60'

Finish: Rubber backing/borders Thickness: 3/16"

WARRANTY


Total Confidence



Black

Brown





#155 Fore-Runner[™]

SCRAPER | MEDIUM TRAFFIC

Brown

FEATURES

- resist fading from footwear 4′ 3′x 5′ 6' 4' x 10' 60' 6' x 60' ′9″ x 60′ ing/borders
- Attractive two-tone colors and resilient construction · Non-absorbent, abrasive surface scrapes soil and debris ThermoFlex[™] vinyl backing offers superior floor protection **SPECIFICATIONS** WARRANTY

Standard Sizes:	2' x 3'	3′ x 4	
	3' x 10'	4′ x 6	
Rolls:	3' x 60'	4′x	
Total Customization: Up to 11's			
Finish: ThermoFlex [™] vinyl backi			
Thickness: 5/16"			

Total Confidence

#255 Cross-Over[™]

SCRAPER / WIPER | MEDIUM TRAFFIC

Gray













fading and crushing

FEATURES

with our Fore-Runner[™] scraper and Walk-A-Away[™] wiper


SPECIFICATIONS


Standard Sizes:	2' x 3'	3′ x 4′
	3' x 10'	4′ x 6′
Rolls:	3′ x 60′	4′ x 6
Total Customization: Up to 11'9		
Finish: ThermoFlex [™] vinyl backir		
Thickness: 5/16"		


WARRANTY **Total Confidence**

#355 Walk-A-Way[™]

WIPER | MEDIUM TRAFFIC









Brown



SPECIFICATIONS

FEATURES

fading and crushing


trap fine dirt particles

2′ x 3′	3′ x 4′		
3′ x 10′	4' x 6'		
3' x 60'	4′х б(
Total Customization: Up to 11'9"			
Finish: ThermoFlex [™] vinyl backin			
,			
	3' x 10' 3' x 60' tion: Up ex [™] viny		

WARRANTY **Total Confidence**

Brown






















Black/Grav

Black/Burgundy

Black/Burgundy

Black/Blue

Black/Brown

Black/Brow

Black/Blue

Grav

Attractive two-tone colors and resilient construction resist

 Abrasive loop-pile surface scrapes debris and moisture from footwear while sturdy olefin fibers start the drying process • Step #2 of our complete three-mat system used in combination

> 3′ x 5′ 4' x 10' 60′ 6′ x 60′ 9″ x 60′ ng/borders



- Attractive two-tone colors and resilient construction resist
- Dense, fast drying loop-pile fibers absorb heavy moisture and

• Step #3 of our complete three-mat system used in combination with our Fore-Runner[™] scraper and Cross-Over[™] scraper/wiper mats

> 3′ x 5′ 4' x 10' 50′ 6′ x 60′ ″ x 60′ ng/borders




Outdoor Matting

Dirt that is brought in on shoes can cause premature and visible wear and tear on expensive interior flooring — both hard surfaced and carpeted floors.

In addition, a lack of correct entry matting affects indoor air quality. An outdoor mat is there to knock off the big stuff and begin the dirt management process.

What to look for:

- Choose an aggressive mat with a surface designed and built for vigorous scraping.
- Quality outdoor mats can trap and hold as much as three pounds of dirt per square foot. Mats with this ability can actually reduce overall building cleaning costs
- Deep pile products hide dirt and prevent it from entering the building
- Consider choosing colors that efficiently conceal dirt, sand, salt, etc.



#170/171 Boardwalk™

Grav

O 111.O 100

#171 5/8" Open

SCRAPER/WIPER HEAVY TRAFFIC



#170 7/16" Closed

FEATURES

- construction • The closed construction of the 7/16"
- ideal for shallow matwells • The open construction of the 5/8" (**#171**) allows for efficient drainage and removal of dirt and moisture

SPECIFICATIONS

Standard Sizes: 7.68" x 7.68" 60 tiles (24.6 sq. ft.) per box Finish: UV Resistant PVC Thickness: #170 - 7/16" **#171** - 5/8"

WARRANTY **Total Confidence**

#110 Commercial Clean Machine®

Black

5/8" Thick

SCRAPER | HEAVY TRAFFIC



All Purpose Charco



- Molded polyethylene blades resist crushing, mildew and fading
- low temperatures
- Deep pile hides dirt out of sight and prevents it from entering the building

SPECIFICATIONS

Standard Sizes:	3' x 4'	
	3' x 8'	
Rolls:	3′ x 25′	
*Products more than . **Rolls do not have be Heavy-duty beveled n	eveled nosi	
Total Customization: Lei		

stomization: Length/width cuts up to 3' x 50' and up to 6' x 15' Finish: Anti-skid polyethylene embossed film Thickness: 5/8"

WARRANTY **Total Confidence**

Fore-Runner™ p. 5

• Highly functional tile matting offers superior performance provided by the unique modular

(#170) allows for easy maintenance and is





Improved skid-resistant backing withstands

3′x 5′ 3′x 6′ 4' x 6'* 6' x 8'* 3' x 50'**

ive a seam in the middle. sina.

ommended to prevent tripping.





#125/126 Diamond-Deluxe[™] Duet

SCRAPER | MEDIUM TRAFFIC

FEATURES

- Beautiful two-tone vinyl loop mat provides a stylish, yet effective, scraper mat
- Distinctive embossed diamond pattern hides debris beneath the loops
- Also available without backing to facilitate the flow of water (ideal for locker rooms, pools, spas, etc.)

SPECIFICATIONS

Standard Sizes: 3'x5' 4'x6'

(edging/nosing available) Rolls: 3'x20' 4'x20' (No borders) Total Customization: Up to 8' wide

Finish: **#125**: with foam backing (1/2"), ideal for


- indoor usage **#126**: unbacked drain-through (3/8")
- WARRANTY

Total Confidence

T

Blue/Black Brown/Carame






#125: with foam #126: unbacked with backing (1/2") drain-through (3/8")



1/2"Thick

#130/131 Spaghetti Mat™

SCRAPER | LIGHT TRAFFIC



Gray

#131: unbacked

3/8"Thick

Black

the flow of water Brown



#131: unbacked Thickness: 3/8"

FEATURES

WARRANTY 1 Year

#100 Mat-A-Dor[™] SCRAPER | MEDIUM TRAFFIC



FEATURES

- Remains flexible and maintains performance in the coldest temperatures
- Contains 60% more "fingers" than standard fingertip mats, for outstanding scraping action
- Beveled edge reservoir retains up to 1 gallon of liquid per square yard

SPECIFICATIONS

Standard Sizes: 24" X 32" 32" X 39" 36" X 72" Total Customization: Unavailable Finish: Rubber corrugated back and molded edging

Thickness: 5/8"

WARRANTY

5 Year on finger breakage



Black Rubber mat with corrugated back and molded edging



5/8" Thick

#145 Crown-Tred[™]



FEATURES

- weather usage

SPECIFICATIONS


Standard Sizes: 3' x 5' 3' x 10' 4' x 6'

Rolls: Unavailable Total Customization: Unavailable

Finish: Beveled rubber borders Thickness: 1/4"

WARRANTY 1 Year











#130: with backing

• PVC loop structure with vinyl backing • Dries quickly, resists mildew and fading Also available without backing to facilitate

(offered with or without crimped or applied vinyl nosing) **Rolls:** 3' x 20' 4' x 20' (*No borders*) Total Customization: Up to 4' wide



• Rubber made to withstand any outside

 Affordable solution for small commercial location • Raised pattern scrapes debris off of shoes

(Trade sizes, see actual specs in price list)



Indoor Matting Solutions

Scraper/Wiper mats are often viewed as the best overall matting available. Ideally used to transition between rugged external matting and internal finishing mats, they scrape off light soils and absorb and retain water and moisture. Scraper/Wipers are often used for internal entryways between external and internal doors, or as the first of two internal entry mats.

Wiper mats or "finishing" mats are best thought of as the final step in managing dirt and debris at the point of entry. The surface fibers pull off lingering dirt and dust, while absorbing and retaining water and wetness. Preventing the moisture from getting onto floors keeps them dry and safe. Wiper mats are also often used to support cleanliness throughout the building, such as outside of restrooms or kitchen and cafeteria entrances.

Boardwalk[™] p. 7, Grounds-Keeper™ (foreground) p. 13





#228 Marathon[™] SCRAPER / WIPER | HEAVY TRAFFIC



Blue/Gray

increased dirt and moisture removal ThermoFlex[™] vinyl backing offers extreme durability and superior floor protection

FEATURES

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 10' **Rolls:** 3' x 60' Total Customization: U Finish: ThermoFlex[™] vinyl backing/borders

1/2" Thick


Dark Brown

WARRANTY **Total Confidence**

Thickness: 1/2"

#202 Dura-Dot[™]

SCRAPER / WIPER | HEAVY TRAFFIC



FEATURES

- Stain UV and abrasion resistant berber surface for high-performance applications
- Anti-skid and moisture resistant gel foam backing
 - Can also be used outdoors, under cover (not recommended for applications where storage, rolling and unrolling is required)

SPECIFICATIONS

3'3" (1m) x 82'

Dark Brown Navy Blue



3/8" Thick

9′10″ (3m) x 82′ 13'1" (4m) x 82' (rolls do not have beveled borders) Total Customization: Up to 13'1" x 82' Thickness: 3/8"

WARRANTY **Total Confidence**

 Heavy-duty needlepunch surface for outstanding scraping and water retention Reinforced latex-coated pattern allows for

	3' x 4'	3′ x 5′	
'	4' x 6'	4' x 10'	
,	4' x 60'	6' x 60'	
p to 11'9″ x 60'			
vl backing/borders			





Standard Sizes: 3'3" x 5'3" 3'3" x 10'3" 4'3" x 6'3" (Mats have sewn and glued picture frame nosing) **Rolls:** 3'x 82' 4'x 82' 6'x82' 6'7" (2m) x 82'





#225 Tire-Track[™] SCRAPER / WIPER | HEAVY TRAFFIC



FEATURES

- Industrial strength carpet can hold up to 2 gallons of liquid per square yard
- Unique pattern offers effective scraping action and long lasting appearance
- ThermoFlex[™] vinyl backing offers superior floor protection

SPECIFICATIONS

Standard Sizes: 2'x 3' 3'x 4' 3'x 5' 3'x 10' 4'x 6' 4'x 10' Rolls: 3'x 60' 4'x 60' 6'x 60'

Total Customization: Length/Width cuts up to 6' x 60'

Finish: ThermoFlex[™] vinyl backing/borders Thickness: 3/8"

WARRANTY

Total Confidence



#270/271 EcoPlus™



FEATURES

- Elevated construction will scrape shoes and hold dirt beneath shoe level, while absorbing up to one gallon of moisture
- Soft 100% recycled polyester fiber top surface allows for better wiping action
- Rubber blend backing with 20% postconsumer recycled tires

SPECIFICATIONS


Standard Sizes: 2'x 3' 3'x 4' 3'x 5' 3'x 8' 3'x 10' 4'x 6' 6' x 8'

(Trade sizes, see actual specs in price list) Total Customization: Limited length cuts

up to 6' x 20' Finish: #270 Rubber borders **#271** Fabric covered borders

Thickness: 3/8"

WARRANTY **Total Confidence**



Charcoa

Gray

Bi-Level Polypropyline needlepunch pattern.

Brown

3/8" Thick

Walnut




Charcoal

Midnight Blue



#300 Grounds-Keeper[™]

WIPER | HEAVY TRAFFIC










Pebble Brown



Navy Blue

#350 Dust-Star[™]

WIPER | HEAVY TRAFFIC



Red

FEATURES

FEATURES

rental mats

Rolls:

Thickness: 1/2"

WARRANTY


Total Confidence

- Unique microfiber/olefin blend with incredible dust and moisture retention properties
- traditional Rely-On Olefin™

SPECIFICATIONS

Standard Sizes:	2′ x 3′		
	3′ x 10′		
Rolls:	3′ x 60′		
Total Customiza	tion։ Սլ		
Finish: ThermoFlex [™] ving			
Thickness: 1/2"			

WARRANTY **Total Confidence**



Marlin Blue



• Retains 60% more liquid and fine dirt than our popular Rely-On Olefin™

· Dries three times faster than nylon or polyester

• ThermoFlex[™] vinyl backing is 35% thicker than Rely-On Olefin[™] for extreme durability

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 4' 3' x 5' 3'x 10' 4'x 6' 4'x 10' 3'x 60' 4'x 60' 6'x 60' Total Customization: Up to 11'9 x 60' Finish: ThermoFlex[™] vinyl backing/borders





· Positively charged microfibers will attract hair, lint, dust and keep them from polluting the air • Holds close to three times more liquid than our

3'x 4' 3'x 5' 4′ x 6′ 4' x 10' 4' x 60' 6' x 60' Jp to 11'9 x 60' yl backing/borders





#240 Needle-Pin[®] SCRAPER / WIPER | MEDIUM TRAFFIC



FEATURES

- Raised berber-style surface that scrapes dirt and removes moisture efficiently
- Crush resistant surface reduces appearance of foot traffic
- ThermoFlex[™] vinyl backing offers superior floor protection

SPECIFICATIONS

Standard Sizes: 2'x 3' 3'x 4' 3'x 5' 3'x 10' 4'x 6' 4'x 10' 3' x 60' 4' x 60' 6' x 60' Rolls: Total Customization: Up to 11'9"x60' Finish: ThermoFlex[™] vinyl backing/borders Thickness: 7/16"

WARRANTY

1 Year



Walnut


Pebble Brown Charcoal

#365 Skyline WIPER | MEDIUM TRAFFIC

Navy

Brown

Black Dark Grav



modern design

FEATURES

SPECIFICATIONS

Total Customization: Unavailable Finish: Nitrile Rubber Thickness: 1/4"

WARRANTY 1 Year

#230 Chevron[™]

SCRAPER / WIPER | MEDIUM TRAFFIC



F	EAT	'I I R	FS
		U 10	

- Vivid, nonfading colors that resist fading
- ThermoFlex[™] vinyl backing offers superior floor protection
- Surface made from 50% P.E.T. recycled fibers

SPECIFICATIONS

Standard Sizes: 2'x 3' 3'x 4' 3'x 5' 3'x 10' 4'x 6' 4'x 10' Rolls: 3' x 60' 4' x 60' 6' x 60' Total Customization: Up to 11'9" x 60' **Finish:** ThermoFlex[™] vinyl backing/borders Thickness: 5/16"

WARRANTY 1 Year







Charcoal Forest Green



Steel Blue


#310 Wonder-Pro[™]

WIPER | MEDIUM TRAFFIC

	19 - 19 B.
Black	Castellan Red



Charcoal





• Retains 60% more liquid and fine dirt than our popular Rely-On Olefin™

• Premium vinyl backing provides a moisture barrier to help protect floors

SPECIFICATIONS

Standard Sizes:	2' x 3'		
	3' x 10'		
Rolls:	3' x 60'		
Total Customization: Up			
Finish: ThermoFlex [™] viny			
Thickness: 7/16"			

WARRANTY 1 Year



Navy Blue



Evergreen

• Enhance the appearance of your facility with this • Twisted and heat set 6,6 nylon fibers offer New! • Nitrile rubber backing allows for laundering **Standard Sizes:** 2' x 3' 3' x 5' 3' x 10' 4'x 6' 6'x 8' (Trade sizes, see actual specs in price list)

- Wide selection of colors are resistant to fading
 - 3' x 4' 3' x 5' 4' x 10' 4′ x 6′ 4' x 60' 6' x 60' p to 11′9 x 60′ yl backing/borders





#235 Needle-Rib[™]

SCRAPER / WIPER | LIGHT TRAFFIC







#315 Rely-On Olefin[™]

WIPER | LIGHT TRAFFIC

FEATURES

- Unilateral ribbed pattern on vinyl backing that traps moisture and protects floors
- Quick drying and fade resistant Surface made from 50% P.E.T. recycled fiber

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 4' 3′ x 5′ 3′x10′ 4′x6′ 4' x 10' 3' x 60' 4' x 60' 6' x 60' **Rolls:** Total Customization: Up to 6' x 60' Finish: Vinyl backing and borders

• Retains 20% more liquid and fine dirt than our popular

· Premium vinyl backing with natural organic resin blend

• New green generation wiper mat made of 100% P.E.T.

3′ x 4′

3'x 10' 4'x 6'

3' x 60' 4' x 60'

3′ x 5′

4′ x 10′

6' x 60'

prevents water from damaging floor

Total Customization: Up to 11'9 x 60'

Thickness: 5/16"

WARRANTY

Rely-On Olefin™


fiber recycled surface!

SPECIFICATIONS

Standard Sizes: 2' x 3'

Rolls:

1 Year






1 Year

Walnut





Charcoa









#250/251 Super-Soaker[™]

SCRAPER / WIPER | LIGHT TRAFFIC

Buraundy



Dark Brown



FEATURES

Standard Sizes: 2'x 3' 3'x 4' 3'x 5' 3'x 10' 4'x 6' 4'x 8' 4'x 10' 6'x 10' (Trade sizes, see actual specs in price list) Total Customization: Unavailable Finish: #250 Rubber borders; #251 Fabric borders Thickness: 3/8" WARRANTY **Total Confidence**

#261/262 Super-Soaker[™] Diamond SCRAPER / WIPER | LIGHT TRAFFIC

Charcoa

Blue	Charcoa

Dark Brown

Slate

Red

Burgundy



and easy maintenance

SPECIFICATIONS

Total Customization: Unavailable

Thickness: 3/8" WARRANTY

Total Confidence

#252/253/254 Super-Soaker[™] Fan SCRAPER / WIPER | LIGHT TRAFFIC

Navy Blue

Burgundy

Charcoal

Dark Brown

Walnut

FEATURES

- Diamond line of products
- aesthetic look

SPECIFICATIONS Standard Sizes: #252 half oval: #253 single fan end:

#254 double fan end:

Total Customization: Un Finish: #252 Half oval, # #254 Double-fan end Thickness: 3/8"


WARRANTY Total Confidence








Charcoal
















FEATURES

ICAT	CATIONS			
Sizes:	2′ x 3′	3' x 4'	3' x 5'	
	3′ x 10′	4′ x 6′	4' x 10'	
	21 601	11 601	<i>ci coi</i>	

· Economical olefin wiper mat available in a wide array of

3'x 60' 4'x 60' 6'x 60' Total Customization: Up to 6' x 60' Finish: Vinyl backing and borders Thickness: 7/16"

WARRANTY








Evergreen












· Non-skid nib backing will effectively grip mat to the floor Crush-proof waffle pattern will scrape shoes and hold dirt beneath shoe level, while wiping moisture • 100% solution-dyed polypropylene surface won't





Includes all the advantages of our Super-Soaker[™]

• Finished with fabric borders for a richer, more

One-piece molded product for maximum durability

34″ x 21″	45" x 26"	73″ x 41″	
34″ x 65″	35" x 77"	35″ x 134″	
45" x 94"	45" x 163"	72″ x 130″	
35" x 96"	35″ x 154″	45″ x 117″	
45" x 165"	45″ x 187″		
Jnavailable			
#253 Single-fan end,			





Logo/Specialty Mats & Accessories

Adding a logo to commercial matting can be an effective tool for enhancing the appearance and professionalism of any business or institutional environment. Logo mats can be used as highly visible entrance mats, a centerpiece for a lobby or reception areas, or a way to build an organization's image wherever internal matting is utilized.

Crown Matting Technologies provides a number of options for customers looking to add a logo to their overall matting programs. From flocked mats and Graphic Inlays to HD Jet Print and Crown-Tred Printed Mats, Crown can best match your need with the most appropriate matting application.

In addition to logo mats, Crown offers an extensive line of specialty mats and accessories to meet even the most complex or unique matting challenges.



Graphic Inlay

Used in heavy indoor traffic areas. Our heavy duty needle punch material with abrasive raised patterns (Marathon[™], Oxford[™] Elite and Cross-Over[™]) serves as the base material and our high definition digital ink print nylon design is secured into the mat to create your logo brand and/or statement. The backing is our ThermoFlex[™] vinyl and we offer over 600 colors to create your logo. Maximum customized size is 11 ft 9 inches x 50 ft.

#020 Marathon[™] Graphic Inlay LOGO MATS SCRAPER / WIPER HEAVY TRAFFIC

FEATURES

- Raised pattern scrapes dirt and removes moisture efficiently
- High-definition logo printed on dense nylon fibers and inserted into the mat to create a strong visual message
- ThermoFlex[™] vinyl backing offers superior floor protection
- No minimum quantity, no set up charge, PMS color match available (surcharge)

SPECIFICATIONS

Standard Sizes: 3'x 5' 3'x 10' 4'x 6' 4'x 8' 4'x 10' 6'x 10' **Rolls:** Unavailable

Total Customization: Up to 11'9" x 60'

Finish: ThermoFlex[™] vinyl backing and borders/ High-definition Graphic Inlay

WARRANTY Total Confidence

For colors and additional product information see #228 Marathon on page 11.

#022 Cross-Over[™] Graphic Inlay LOGO MATS SCRAPER / WIPER MEDIUM TRAFFIC

FEATURES

- Abrasive loop-pile surface scrapes debris and moisture from footwear while sturdy olefin fibers start the drying process
- High-definition logo printed on dense nylon fibers and inserted into the mat to create a strong visual message
- ThermoFlex[™] vinyl backing offers superior floor protection
- No minimum guantity, no set up charge, PMS color match available (surcharge)

SPECIFICATIONS

Standard Sizes: 3'x 5' 3'x 10' 4'x 6' 4'x 8' 4'x 10' 6'x 10' Rolls: Unavailable

Total Customization: Up to 11'9" x 60"

Finish: ThermoFlex[™] vinyl backing and borders/High-definition Graphic Inlay

For colors and additional product information see **#255 Cross-Over**[™] on page 5.

WARRANTY **Total Confidence**

#021 Oxford[™] Elite Graphic Inlay LOGO MATS SCRAPER / WIPER MED-HEAVY TRAFFIC

FEATURES

- Mix of abrasive and sturdy olefin fibers for well balanced wiping and scraping performance
- High-definition logo printed on dense nylon fibers and inserted into the mat to create a strong visual message.
- ThermoFlex[™] vinyl backing offers superior floor protection
- No minimum quantity, no set up charge, PMS color match available (surcharge)

SPECIFICATIONS

Standard Sizes: 3'x 5' 3'x 10' 4'x 6' 4'x 8' 4'x 10' 6'x 10'

Rolls:

Total Customization: Up to 11'9" x 60'

Unavailable

Finish: ThermoFlex[™] vinyl backing and borders/ High-definition Graphic Inlay

WARRANTY Total Confidence

For colors and additional product information see **#265 Oxford™ Elite** on page 4.

#025 Super-Soaker[™] Inlay

LOGO MATS SCRAPER / WIPER MEDIUM TRAFFIC

FEATURES

- Super-Soaker[™] Inlay is a precision cut of your logo molded to a rubber cleated backing
- Molded nitrile rubber backing helps to reduce mat movement
- · Great for indoor and covered outdoor placement
- No minimum quantity, no set up charge

SPECIFICATIONS

Standard Sizes: 2'x 3' 3'x 4' 3'x 5' 3'x 10' 3'x 12' 3'x 15' 3'x 20' 4'x6' 4'x8' 4'x10' 4'x12' 4'x14' 4'x16' 4'x20' 6'x5' 6'x6' 6'x8' 6' x 10' 6' x 12' 6' x 14' 6' x 16' 6' x 18' 6' x 20' Trade sizes - see actual in price list

Rolls: Unavailable

Custom Sizes: unavailable

Finish: Rubber edging Fabric Edging Rubber cleated backing

WARRANTY

COLORS

Total Confidence

Base colors: Med. Brown, Dark Brown, Med Gray, Charcoal, Evergreen, Navy, Med Blue, Bluestone, Red/Black

Logo Colors: White, Yellow, Gold, Purple, Orange, Solid Red, Light Green, Aquamarine

For additional product information see **#250-254 & #261/262 Super-Soaker**[™] on page 17.

Flocked Mats

Used for moderate to low traffic areas for indoor use only. A logo is produced on our Olefin Mat using electrical statically charged nylons fibers creating a strong visual of your image and message. The imprint will be slightly raised and able to apply up to 4 colors.

#010 Flocked Mat

LOGO MATS | WIPER | LIGHT TRAFFIC

FEATURES

- 100% olefin mat with vinyl backing absorbs moisture, traps fine dust and protects floors
- Flocked process; nylon fibers electrostatically charged and applied to the carpet surface with adhesive
- Available on different carpet quality (Rely-On[™] light usage, Eco-Step[™] 100% recycled surface medium usage)
- More than 20 PMS contrasting flocking colors available should state
 "SPECIAL COLORS ON REQUEST SURCHARGE APPLIES, CONTACT
 CUSTOMER SERVICE"

SPECIFICATIONS

Standard Sizes: 2'x 3' 3'x 4' 3'x 5' 3'x 6' 4'x 6'

Rolls: Unavailable

Total Customization: Available; call customer service Finish: Contrasting flocking colors

WARRANTY

1 Year

COLORS

Mat Colors:

Black, Burgundy, Castellan Red, Charcoal, Evergreen, Marlin Blue, Mid-Gray, Navy Blue, Pebble Brown, Walnut, Solid Red, Solid Blue, Walnut*, Charcoal*, Granite*, Midnight Blue* *Eco-StepTM Only

Flock Colors:

PMS 199C, PMS 3435C, PMS 129C, PMS 209C, PMS MAGENTA, PMS 166C, PMS 466C, PMS 320U, WHITE, PMS 287C, PMS 267C, PMS 2945, PMS 4625, PROCESS YELLOW C, PMS 138C, BLUE U, PMS 424U, PMS 421U, PMS 282C, BLACK

#050 Embossed Anti-Fatigue Mat

LOGO MATS ERGONOMIC DRY AREAS

FEATURES

- Stimulates blood circulation and reduces muscular pain caused by standing for long periods of time
- High-quality embossed image technology for maximum durability
- Set-up fee required/Choose up to 3 logo colors. Min. order 50 mats
- Also available with anti-microbial additive, Min. order 300 Mats. Call customer service

SPECIFICATIONS

Standard Sizes: 2'x 3' 3'x 4' 3'x 5' 3'x 10'

Rolls: Unavailable

Total Customization: Available; call customer service Finish:

Style 1 – Embossed no color

- Style 2 Embossed with vinyl
- Style 4 Digital file print contact customer service

WARRANTY

- 1 Year
- COLORS

3/8" Tuff Spun – Black, Gray 3/8" Comfort King – Black, Royal Blue, Steel Gray

HD Jet Print

Used in heavy traffic areas for indoor use only. This High Definition Digital Ink Printed nylon mat allows excellent color tones and shading capabilities that capture a photo quality look. The backing is a premium 70 mil vinyl. Over 600 colors available.

#035 HD Jet-Print[™]

LOGO MATS WIPER MED-HEAVY TRAFFIC

FEATURES

- Unlimited color combinations available to create your personalized message or logo. PMS color match available (surcharge)
- High-Definition logo printed nylon mat offers up to 10 times the definition of a regular printed mat. Retains 50% more liquid and fine dirt than our standard Jet Print
- No minimum quantity, no set-up charge

SPECIFICATIONS

 Standard Sizes:
 24" x 35" (apx. 2' x 3')
 35" x 47" (apx. 3' x 4')

 35" x 59" (apx. 3' x 5')
 35" x 119" apx. 3' x 10")

 45" x 69" (apx. 4' x 6')
 45" x 95" (apx. 4' x 8')
 58" x 95" (apx. 5' x 8')

 58" x 119" (apx. 5' x 10') this size is not on the sell sheet, but it is available
 68" x 119" (apx. 6' x 10')
 68" x 143" (apx. 6' x 12')

Rolls: Unavailable

Total Customization: Length/Width cuts up to 6'x40' **Finish:** Vinyl backing and borders, Excellent digital reproduction

WARRANTY Total Confidence **COLORS** Up to 150 available colors

Crown-Tred Printed Mats

Used in heavy traffic areas for outdoor/ indoor use. The nitrile rubber scraper will withstand all weather elements and is UV protected. The image is digitally printed on a thermoplastic material and molded onto the mat which allows excellent color tones and color variations. The permanent bond process allows for a long lasting impression.



#021 Jet-Print[™]

LOGO MATS | WIPER | MEDIUM TRAFFIC

FEATURES

- Unlimited color combinations available to create your personalized message or logo. PMS color match available (surcharge)
- Printed nylon surface
- No minimum quantity, no set-up charge

SPECIFICATIONS

 Standard Sizes:
 24" x 35" (apx. 2' x 3')
 35" x 47" (apx. 3' x 4')

 35" x 59" (apx. 3' x 5')
 35" x 119" apx. 3' x 10")

 45" x 69" (apx. 4' x 6')
 45" x 95" (apx. 4' x 8')

 58" x 119" (apx. 5' x 10') this size is not on the sell sheet, but it is available

 68" x 119" (apx. 6' x 10')

Rolls: Unavailable **Total Customization:** Length/Width cuts up to 6'x40' **Finish:** Rubber cleated backing, Digital reproduction

WARRANTY

Total Confidence

COLORS

Black, Burgundy, Moss Green, Forest Green, Emerald Green, Dark Gold, Chocolate, Light Blue, Gold, Dark Gray, White Silver, Suede, Navy, Orange, Pearl White, Red, Royal Blue, Silver, Sandalwood, Yellow, Hot Pink, Up to 300 available colors

#040 Crown-Tred[™] Printed

LOGO MATS | SCRAPER | LIGHT TRAFFIC

FEATURES

- First line of defense: designed for outdoors (UV resistant) and between entrance door applications
- Excellent color tones and shades with unparalleled detail and clarity
- Durable ¼" nitrile rubber construction. Oil, grease and chemical resistant
 No minimum quantity, no set up charge, PMS color match available
- (surcharge)

SPECIFICATIONS

Standard Sizes:	29″ x 34″ (apx. 2′ 6″ x 3′)	
34″ x 54″ (apx. 3′ x 5′)	34" x 111" (3' x 10')	45" x 67" (apx. 4' x 6')
45" x 95" (apx. 4' x 8')	68" x 68" (apx. 6' x 6')	71" x 96" (apx. 6' x 8')

Rolls:UnavailableTotal Customization:UnavailableFinish:NitrileRubber blend

WARRANTY Total Confidence COLORS Black

#900 Stat-Zap[®] Carpet Top SPECIALTY



FEATURES

• Attractive conductive loop carpet with a resistivity of 10⁹ ohms per square • Anti-slip Rug-Hugger[™] backing to reduce mat movement on carpeting • Stock mats include ground cord, which can be connected to an electrical outlet

SPECIFICATIONS

Standard Sizes: 2'x 3' 3'x 4' 3'x 5' 3'x 6' 3'x 10' 4'x 6' 4'x 8' 4'x 10' 3′ x 60′ 4′ x 60′ Rolls: Total Customization: Custom cuts need one grounding cord per 10' (sold separately) Finish: Vinyl backing and borders with anti-slip Rug-Hugger™ WARRANTY 1 Year





Ground core

White

Gray

#995 Walk-N-Clean[™]



FEATURES

• 60 shoe-cleaning tacky sheets treated with an anti-microbial agent protects against growth of bacteria, mold and mildew Nontoxic, refillable frame with a slip resistant backing • When top layer is dirty, simply peel and discard SPECIFICATIONS **Standard Sizes:** Single Tray: 31 ½" x 25 ½" Double Tray: 31 ½" x 51" Refill 30" x 24" (case of 4 replacement pads)

Finish: Nonskid polyethylene backing

WARRANTY 1 Year

#102 Disinfectant Boot Bath

SPECIALTY



FEATURES

- 2" raised wall to hold any USDA accepted disinfectant sanitizer or liquid for hygienic cleaning • Aggressive rubber fingertips scrape bottom of boots reducing the risk of cross
- contamination · Yellow raised borders for high visibility and increased safety

SPECIFICATIONS

Standard Sizes: 32" x 39"

Total Customization: Unavailable

WARRANTY 1 Year

#990 Chair Mats SPECIALTY



FEATURES

- · Commercial-quality chair mats for offices allow desk chairs to move effortlessly
- Available in different models for all types of carpet and flooring and anti-static (10¹¹ ohms per square) option

SPECIFICATIONS

Standard Sizes: 45" x 53" with 12"x25" lip 46" x 60" with 12"x25" lip

Custom Sizes: Ask customer service

WARRANTY 1 Year



Black with Yellow Border

Nosing ACCESSORY

FEATURES / SPECIFICATIONS

• Loose edging to be applied to ends of your mat

- Available in standard rolls of $\frac{3}{4}$ x 100' or heavy-duty rolls of 1 $\frac{1}{2}$ x 50'

Tack-Tape[™] ACCESSORY

FEATURES / SPECIFICATIONS

- Specially designed double-sided tape for securing foam products and vinyl backed carpet mats to floors
- Roll dimensions, 4" x 250'

Rug-Hugger[™] Backing

ACCESSORY

FEATURES / SPECIFICATIONS

• Anti-slip backing to reduce mat movement on carpets

Can be factory applied to most vinyl backed products

Mat-Lock[™] Backing ACCESSORY

FEATURES / SPECIFICATIONS

- Slip-resistant backing to secure mat to hard surfaces such as wood, ceramic tile, marble, linoleum, etc.
- · Can be factory applied to most vinyl backed products

Velcro® Backing Strips ACCESSORY

FEATURES / SPECIFICATIONS


Self-applied adhesive Velcro strips to secure mat to loop-pile carpeting

- Can be easily applied to most vinyl backed products
- Available in 4" wide strips cut to length or by the 75' roll











Ergonomic Mats

Ergonomic mats help ease leg, foot, and lower back fatigue and pain and can also assist in the areas of slip resistance, wet-area drainage, and worker safety.

Strong. Resilient. Safe.

Three critical matting features that can dramatically influence the success of your workforce and your business. Zedlan[™] Foam was developed with these workplace imperatives in mind.

- Strong Zedlan[™] Foam outwears similar products by nearly 3-to-1
- Resilient Zedlan[™] Foam has three times the bounce of traditional ergonomic products
- Safe combined with our exclusive slip resistant technology, Zedlan™ Foam offers superior traction compared to standard foam products

Zedlan[™] Foam. Just one more way we support our customers by developing industry leading products that support their workforce.

Comfort King[™] p. 28



#546/556 Workers-Delight[™] Slate

DRY AREA PREMIUM



Light Gray

Zedlan™ Foam

• UV-Cured PVC top surface facilitates ease of maintenance

FEATURES

- New slip-resistant coating on underside of mat ensures steadiness and control on smooth surfaces
- dental offices, laboratories, pick modules, warehousing

SPECIFICATIONS

Standard Sizes: 2' x 3' 2′ x 60′ **Rolls:** Thickness: #546 - Stan

#556 – Ultra more

WARRANTY Lifetime Warranty against delamination

#541 Workers-Delight[™] Supreme DRY AREA | PREMIUM



FEATURES

- Puncture-resistant PVC top surface allows for better durability and stability • Patented Zedlan[™] Foam combined with our
- French Gray
 - Black

Zedlan™ Foam



smooth surfaces

• Use for cashier stations, pharmacies, medical/dental offices, laboratories, pick modules, warehousing

SPECIFICATIONS

Standard Sizes: 2'x 3' 3'x 5' 3'x 12' Rolls: Total Customization: Up to 12' wide Thickness: #541 - Standard - 5/8"

WARRANTY Lifetime Warranty against delamination

24

ERGONOMIC MATS

• Our new modern design combined with our patented Zedlan[™] Foam creates the ultimate combination of form and function

• Use for cashier stations, pharmacies, medical/

5			
	3′ x 5′	3′ x 12′	
'	3' x 60'	4' x 60'	
d	ard – 5/8"		
ı -	- 7/8" pro\	ides 50%	
e comfort			







- fusion technology creates an unmatched level of durability and comfort
- · New slip-resistant coating on underside of mat ensures steadiness and control on

2'x 60' 3'x 60' 4'x 60'





#543/#553 Workers-Delight[™] Traction Plus

DRY AREA PREMIUM

New! FUSION



- Innovative PVC raised-herringbone top surface affords multi-directional grip
- Patented Zedlan[™] Foam combined with our fusion technology creates an unmatched level of durability and comfort
- New slip-resistant coating on underside of mat ensures steadiness and control on smooth surfaces
- Use for finishing stations, assembly stations and work stations

SPECIFICATIONS

Standard Sizes: 2'x 3' 3'x 5' 3'x 12' **Rolls:** 2'x 75' 3'x 75' 4'x 75' Total Customization: Up to 12' wide Thickness:

- #543 Standard 5/8"
- (30% recycled content) #553 - Ultra – 7/8" provides 50% more comfort
- (20% recycled content)


WARRANTY

Lifetime Warranty against delamination

COLORS Black



Herringbone PVC surface





Rounded corners and beveled edges

#560/#562 Wear-Bond[™] Comfort-King[™]

FEATURES

stations

Rolls:

DRY AREA BEST



#560 Foam-injected PVC pebble embossed surface



#562 Foam-injected PVC deck-top surface



COLORS

Thickness: 9/16"

WARRANTY

#540/#550 Workers-Delight[™] Deck Plate

DRY AREA PREMIUM



FEATURES

- Deck plate PVC surface offers comfort and durability
- Patented Zedlan[™] Foam combined with our fusion technology creates an unmatched level of durability and comfort
- New slip-resistant coating on underside of mat ensures steadiness and control on smooth surfaces
- Use for assembly lines, work stations, cart traffic areas, finishing stations or assembly stations

SPECIFICATIONS

Standard Sizes: 2'x 3' 3'x 5' 3'x 12' 2'x 75' 3'x 75' 4'x 75' **Rolls:** Total Customization: Up to 12' wide Thickness:

#540 - Supreme - 5/8"

- (25% recycled content) #550 - Ultra – 7/8" provides 25 % more comfort
- (20% recycled content)

WARRANTY

Lifetime Warranty against delamination


COLORS Black & Yellow, Gray, Black



Deck plate PVC surface



Zedlan[™] Foam with slip-resistant coating



Rounded corners and beveled edges

#465 Alleviator[™] Comfort-King[™] DRY AREA BEST

Zedlan™ Foam



Textured surface



Zedlan™ Foam



Beveled edges

FEATURES

• Use for cashier stations, hotel front desks, pharmacies or retail work counters

SPECIFICATIONS

Standard Sizes: 2' x 3' 3' x 5' Rolls: 2'x 30' 3'x 30' 4'x 30' Total Customization: Up to 75' Thickness: 7/8"

WARRANTY 1 Year

COLORS Steel Gray, Black

ERGONOMIC MATS



• Double-thick patented Zedlan[™] Foam adds



#440/#445 Comfort-King[™] DRY AREA BEST

FEATURES

- Patented Zedlan[™] Foam outwears other foam products by nearly 3-to-1
- Available with anti-microbial additives to help prevent mold, mildew, and bacterial growth (**#910**). Ask your Crown Customer Service Representative for more information
- Use for work stations, finishing/assembly stations, cashier stations or pharmacies

SPECIFICATIONS

Standard Sizes: 2'x 3' 3'x 5' 3'x 12' **Rolls:** 2'x 60' 3'x 60' 4'x 60' 6' x 60'*

*Not available with yellow borders Total Customization: Up to 60'

Thickness: #440 - Standard - 3/8" #445 - Supreme - 1/2" provides 33% more

comfort


WARRANTY 1 Year

COLORS Black & Yellow, Steel Gray, Royal Blue, Black

Textured surface



Zedlan™ Foam



#685 Safety-Step[™] Solid-Top

DRY AREA BETTER





Solid rubber

SPECIFICATIONS

or assembly lines

FEATURES

or yellow

Standard Sizes: 3' x 3' Total Customization: Up to 12' wide Thickness: 5/8"

WARRANTY 1 Year

COLORS

Black with built in connectors, Yellow ramp or Beveled Black available

#649 Para-Mount[™]

DRY AREA BEST



FEATURES

- Patented nitrile rubber construction resists water, oil, and solvents
- Anti-microbial properties help prevent mold, mildew, and bacterial growth
- Nitrile rubber properties allow for an easy-to-clean product
- For use in virtually any work station, wet or dry

SPECIFICATIONS


Standard Sizes: 2' x 3' 3' x 5' 3'x 10' 4'x 6' (Trade sizes, see actual specs in price list)

Thickness: 3/4"

WARRANTY

1 Year

COLORS Black






100% Nitrile rubber




DRY AREA BETTER



Bubble-top surface



Industrial grade rubber



Interlocking design with beveled edges

FEATURES

- High/Low bubble surface encourages micro-movements that reduce fatigue and muscle pain
- of matting (47" increments)
 - assembly stations or shipping and packaging areas

SPECIFICATIONS

Standard Sizes: Mat: 2′ x 3′ Modular Center: 35" x 47" Modular End: 35" x 47" Total Customization: Unavailable

Thickness: 1/2"

WARRANTY 1 Year

COLORS Black




Modular built-in connectors

Rubber nibs on underside

#695 Yoga-Flex®













 Solid rubber interlocking system allows for unlimited length and width onsite configurations (1'increments) • Optional snap-on ramps available in black

• Use for factory work stations, large work cells

• Interlocking system allows for unlimited length Use for factories, work stations, finishing /





#520/#522 Wear-Bond[™] Tuff-Spun[®]

DRY AREA GOOD

D.I.N.P. FREE

FEATURES

- Wear-Bond[™] process molecularly bonds foam-injected PVC top surface with industrial-grade foam, creating greater overall comfort than rigid PVC/rubber-type surfaces
- Use for assembly stations, packaging areas, service counters or cashier stations

SPECIFICATIONS

Standard Sizes: 2'x 3' 3'x 5' 3'x 12' 2'x 75' 3'x 75' 4'x 75' **Rolls:** Total Customization: Up to 75' Thickness: 9/16"

WARRANTY

1 Year

COLORS

#520 Pebble Surface: Black & Yellow, Black, Gray **#522** Deck-Top Surface: Black & Yellow, Black

#410/#411/#430/#431 Tuff-Spun[®] Foot-Lover[™]

DRY AREA GOOD

FEATURES

- Closed-cell PVC foam optimizes economical comfort and fatigue relief
- Beveled edges help reduce tripping hazards • Use for service counters, mailrooms, cashier stations or warehousing/packaging stations

SPECIFICATIONS

Standard Sizes:	2′ x 3′ 27″ x 3′*	3′x 5′	3'x 12'
Rolls:	2' x 60' 6' x 60' **	3′x 60′	4' x 60'
Total Customization: Up to 60'			

Thickness: 3/8"

5/8"*

* Not available in 5/8" thickness **Not available with yellow border

WARRANTY 1 Year


COLORS

D.I.N.P

#410, #430 Ribbed Surface: Black & Yellow, Black, Gray #411, #431 Pebble Surface: Black & Yellow, Black, Gray



#520 Foam-injected PVC pebble embossed surface



#522 Foam-injected PVC deck-top surface





WET / OILY AREA PREMIUM



#681 Nitrile Rubber Blend Terra Cotta (grease resistant,15% recycled)



#680 Rubber Black (general purpose, 47% recycled)



Standard Sizes: 3' x 3' Total Customization: Up to 12' wide Thickness: 5/8"

FEATURES

range of greases

WARRANTY 1 Year

#645/#646 Safewalk-Light™

1/2"Thick

WET / OILY AREA | BEST

FEATURES

increased safety

#646 Nitrile Rubber Blend Terra Cotta (grease resistant)

#645 Rubber Black (general purpose)

• Use for bars / dishwashing areas, food

SPECIFICATIONS

Standard Sizes: 3' x 5' 3' x 10' 3' x 15' 3' x 20' 10' length mats and longer have a seam every 5' Total Customization: Unavailable

Thickness: 1/2"

WARRANTY 1 Year

#667 Sani-Tred[™]

WET AREA BETTER









FEATURES

- extruded PVC
- is extensive

SPECIFICATIONS Rolls:

Total Customization: Unavailable Thickness: 3/8"


WARRANTY 1 Year



#411/#431 Pebble embossed surface

Industrial grade foam





WET AREAS

• Terra Cotta nitrile rubber blend offers resistance to a wide


 Heavy-duty modular rubber allows easy drainage of liquid and customization of sizes • Use for factories, irregularly-sized work stations, standing stations, grinding stations or food service

SPECIFICATIONS

Finish: Beveled male/female ramps available

Low profile mat with molded beveled borders for


 Raised surface rings provide excellent traction processing / packaging or laundry rooms




Open-grid construction made from non-porous

 Sanitized anti-bacterial and anti-fungal additives • Use for health clubs, showers, spas, swimming pools, saunas and Jacuzzis™ or where barefoot traffic

2'x 40' 3'x 40' 4'x 40'





mat. Let the mat dry completely before allowing foot traffic to resume.


mechanical cleaners or scrubbers to clean.

Do not use solvents, pH detergents, or alkalis directly on the mat or use the mat in areas where these are used.

#871 Gym-Dandy[™]



32



COLORS Black

WARRANTY 1 Year COLORS Black

WARRANTY 1 Year

FEATURES

Regular maintenance of your mats is critical to extend mat life and appearance. It is recommended to develop a regular maintenance schedule. Frequency will depend on

- 1 Within a few days of receipt, rolled mats should be
- new carpet top mats. This will disappear after a few
- 3 Some rubber mats may have an oily or sticky film on them. This is a releasing agent that is inherent to molded mats, not a defect. Simply wash down with a mild detergent or degreaser to remove this film.
- area with moderate temperatures. Do not stand on

Periodic inspections are recommended on a regular basis to check for border tears. To repair a damaged border or area, glue the section together with cyanoacrylate ester

before it can be tracked into a facility. However, mats must be cleaned regularly to extend their usefulness

- 2 Hand wash or extract stains with a carpet spotter using
- 3 Periodically clean the mat with a carpet extractor using a water-based detergent or shampoo. Do not use solvent-based cleaners.
- 4 Excess water is removed by extracting or hanging the

IMPORTANT ! Do not use rotary scrubbers or other

1/8"Thick

How to Order

With a global distribution network, it's easy to put the strength of our matting solutions to work for you. Visit www.CrownMats.com to find the Crown Matting Technologies distributor/rep nearest you. Or, simply call our customer service team at 800-MAT-LINE (628-5463). We welcome the opportunity to discuss our products, take your request for a sample, or answer any questions you may have.

Warranty

STANDARD LIMITED 1-YEAR WARRANTY POLICY

New products are warranted against defects in material and workmanship when maintained as instructed in the Use and Care Instructions included with each product. The obligation under this warranty is limited to the original user and to the replacement, repair, or pro-rated refund of said product. This warranty excludes the costs incurred for the installation of the carpet and/or mat. It remains the responsibility of the owner to carry out an inspection of the product prior to the installation.

This Warranty Is Not Applicable Under The Following **Circumstances:**

- 1 Improper use, application, installation or cleaning of the product
- 2 Normal wear
- 3 Use of this product for other than its intended purpose
- 4 Lack of proper maintenance as described in the Use and Care Instructions included with each product
- 5 Products that have been altered in any way

If a problem with a product develops during the warranty period, contact your authorized dealer.

Exceptions

Some products may have extended warranty periods. Please refer to the current catalog (available on our website) or pricelist for details.

Please go to www.CrownMats.com for additional warranty information.



T 800.628.5463 F 800.544.2806

T 419.332.5531 F 419.332.4180

2100 Commerce Drive

Fremont, Ohio 43420

U.S.A.

www.CrownMats.com

PRODUCTS AND THEIR RELATED DETAILS ARE SUBJECT TO CHANGE. PLEASE CONTACT OUR CUSTOMER SERVICE DEPARTMENT TO OBTAIN CURRENT INFORMATION.