

**When All You Do Is Vacuums,
They'd Better Be Darn Good Vacuums**



CLEANMAX®

CLEANMAX®

At CleanMax, we know vacuums. In fact, it's all we do. No scrubbers, burnishers or paper towels here, just vacuums. Darn good vacuums.

You might think a vacuum is a vacuum. We couldn't disagree more. We obsess over motor performance, machine durability and how to make vacuums someone actually wants to use. Having the right tool for your vacuuming challenge makes all the difference. And we've got it in the CleanMax lineup.

From the housekeepers and janitors who use them, to the maintenance crew charged with keeping them running, to the people who pay for them, everyone on your team will be completely satisfied with the decision to clean your facility with CleanMax vacuums.





ZOOM

Meet Zoom... The World's Fastest Vacuum! Weighing only eight pounds, the Ultra Lightweight upright from CleanMax couples extreme maneuverability with tremendous cleaning power to get the job done now! Plus, the Zoom is built to last with tough polycarbonate materials and an aluminum handle tube to ensure this upright will stand up to the toughest tasks day after day. All corded CleanMax Zoom models have earned a Gold seal of approval from the Carpet and Rug Institute.



NITRO

The Nitro is where durability and affordability meet. The CleanMax Nitro upright is jam-packed with long-lasting components like a metal brushroll with replaceable brushstrips, a metal handle tube, a metal cord hook and a metal telescopic wand all designed to ensure dependable service day after day. Plus, this machine features a 40-foot, 3-wire cord with a pigtail for quick and easy cord replacement. The Nitro's powerful motor provides one-pass cleaning on everything from bare floors to carpets, and the ultra-convenient on-board tool arrangement makes quick work of baseboards and other above-floor cleaning. If you're looking for a high-quality vacuum, but you're on a tight budget, look no further than the Nitro.



PRO-SERIES

The flagship machines from CleanMax, Pro-Series vacuums are built to stand up to the toughest cleaning challenges day after day. With metal components used throughout high-wear areas and a Clean Air System designed to protect the motor and the fan, durability is the cornerstone of these vacuums. Want even less downtime? Then you want the Pro-Series Zero, which features Hall™ Sensor belt protection technology to ensure you'll never change a belt again.

All Pro-Series vacuums feature HEPA media bags and filters to trap virtually everything these powerful vacuums suck up. In addition, all Pro-Series vacuums have earned a Silver seal of approval from the Carpet and Rug Institute.

Cordless

ZM-800



BRONZE

CMBP-6CL



SILVER



| Features | ZM-800.6 | CMBP-6CL |
|------------------------|---|---|
| Battery Pack | Powerful 44-Volt Lithium Ion Interchangeable Battery. 2.9 Ah/128 Wh. Approx. 50 Minutes of Vacuuming per Charge** | 36-Volt Lithium Ion Interchangeable Battery pack. 360 Wh/10Ah. Approx. 60 Minutes of Vacuuming per Charge** |
| Motor | 480 Watts | 8.5 AMPS |
| Motor Protection | Yes | Yes |
| Filtration | HEPA Media Standard | Paper Bag, HEPA Media Filter |
| Bottom Plate | Polycarbonate with a Squeegee | - |
| Brushroll | Wood | - |
| Tools | - | 3 Carpet Tools, a Bare Floor Tool, Dusting Brush, Upholstery Tool and a Crevice Tool |
| Wheels | 6 Rubber Wheels | - |
| Nozzle | 13" with Clear Bumper | - |
| Headlight | Ultra-Bright LED Headlight | - |
| Carry Handle | Yes | Yes |
| Auto Height Adjustment | Yes | - |
| Decibel Rating | Less than 70 dBA | Less than 70 dBA |
| Warranty | 1-Year | 1-Year |
| Compatibility | - | - |
| Certifications | LEED Qualifying UL Approved Carpet and Rug Institute Seal of Approval - Bronze | ETL Approved Carpet and Rug Institute Seal of Approval - Silver |



BATTERY PACK

Keeps the vacuum working at full power the entire run-time and easily swaps out for a fresh pack.



DEUTER® BACKPACK STRAPS

Ergonomic and anatomically shaped stable hip fins and waist belt, proven to balance pack weight for maximum comfort.

ZOOM



| Features | ZM-200 | ZM-500 | ZM-700 |
|---------------------|--|---|---|
| Motor | 5.5 AMPS | 5.5 AMPS | 5.5 AMPS |
| Motor Protection | Circuit Breaker | Circuit Breaker | Circuit Breaker |
| Belt Protection | - | - | Lifetime Belt with Hall™ Sensor |
| Filtration | Micron Standard with HEPA Media Option | HEPA Media Standard | HEPA Media Standard |
| Outer Bag | Cloth | Cloth | Cloth |
| Fan Diameter | 3.75" | 3.5" | 3.5" |
| Handle Tube | Metal | Metal | Metal |
| Brushroll | Wood | Wood | Steel with Replaceable Brushstrips |
| Cord Hook | Metal | Metal with Quick Cord Release | Metal with Quick Cord Release |
| Power Cord | 35' Commercial Grade Cord | 30' Commercial Grade Cord with 6.5" Pigtail | 30' Commercial Grade Cord with 6.5" Pigtail |
| On/Off Switch | On Nozzle | On Handle | On Handle |
| Speed Selector | - | Two Speeds | Two Speeds |
| Wheels | Non-Marking Rubber | Non-Marking Rubber | Non-Marking Rubber |
| Nozzle | 13" | 13" | 13" |
| Bare Floor Squeegee | - | Yes, Rubber | Yes, Rubber |
| Edge Cleaning | Front & Side | Front & Side | Front & Side |
| Height Adjustment | Automatic | Automatic | Automatic |
| CFM Average (motor) | 115 | 115 | 115 |
| Weight | 8 lbs. | 8 lbs. | 9 lbs. |
| Warranty | 1-Year | 1-Year | 1-Year |
| Certifications | UL Approved Carpet and Rug Institute Seal of Approval - Gold | UL Approved Carpet and Rug Institute Seal of Approval - Gold LEED Qualifying (low speed) | UL Approved Carpet and Rug Institute Seal of Approval - Gold LEED Qualifying (low speed) |



Ours




Theirs

LARGER FAN

3.5" diameter fan for more powerful airflow than other 8 pound uprights

METAL BRUSHROLL WITH HALL™ SENSOR BELT PROTECTION

Never change a belt again (available on ZM-700)



CLEANMAX

PRO-SERIES



| Features | CMP-3N | CMP-3T | CMP-3QD | CMPS-QDZ |
|---------------------|---|---|---|---|
| Motor | 10 AMPS, Capped, 2 Stage | 10 AMPS, Capped, 2 Stage | 10 AMPS, Capped, 2 Stage | 12 AMPS, Capped |
| Motor Protection | Thermal & Pressure Activated | Thermal & Pressure Activated | Thermal & Pressure Activated | Thermal & Pressure Activated |
| Belt Protection | - | - | - | Lifetime Belt with Hall™ Sensor |
| Filtration | HEPA Media Bag & Filter | HEPA Media Bag & Filter | HEPA Media Bag & Filter | HEPA Media Bag & Filter |
| Handle Tube | Metal | Metal | Metal | Metal |
| Bottom Plate | Metal | Metal | Metal | Metal |
| Brushroll | Glass Filled Polycarbonate | Glass Filled Polycarbonate | Metal with Replaceable Brushstrips | Metal with Replaceable Brushstrips |
| Brush Bearings | Ball Bearings | Ball Bearings | Ball Bearings | Ball Bearings |
| Cord Hook | Metal | Metal | Metal | Solid, Integrated |
| Power Cord | (2) 30' Commercial Grade Cords with 6.5" Pigtail | (2) 30' Commercial Grade Cords with 6.5" Pigtail | (2) 30' Commercial Grade Cords with 6.5" Pigtail | (2) 30' Commercial Grade Cords with 6.5" Pigtail |
| On-Board Tools | - | Metal Telescopic Wand and 10' Cleaning Reach | Quick Draw System, Aluminum Telescopic Wand and 12' Cleaning Reach | Quick Draw System, Aluminum Telescopic Wand and 12' Cleaning Reach |
| Wheels | 4 Rubber Wheels with Brass Bushings | 4 Rubber Wheels with Brass Bushings | 4 Rubber Wheels with Brass Bushings | 4 Rubber Wheels with Brass Bushings |
| Nozzle | 14" with Riveted Bumper | 14" with Riveted Bumper | 14" with Riveted Bumper | 14" with Riveted Bumper |
| Edge Cleaning | Front and Side | Front and Side | Front and Side | Front and Side |
| Height Adjustment | Automatic | Automatic | Automatic | Automatic |
| CFM Average (motor) | 107 | 107 | 107 | 112 |
| IOW (motor) | 110 | 110 | 110 | 115 |
| Handle Weight | Less than 1 lb. | Less than 1 lb. | Less than 1 lb. | Less than 1 lb. |
| Warranty | 1-Year Main Body, 2-Year Motor | 1-Year Main Body, 2-Year Motor | 1-Year Main Body, 2-Year Motor | 1-Year Main Body, 2-Year Motor |
| Certifications | LEED Qualifying ETL Approved Carpet and Rug Institute Seal of Approval - Silver | LEED Qualifying ETL Approved Carpet and Rug Institute Seal of Approval - Silver | LEED Qualifying ETL Approved Carpet and Rug Institute Seal of Approval - Silver | LEED Qualifying ETL Approved Carpet and Rug Institute Seal of Approval - Silver |



TOOL-LESS BELT CHANGE

Quick and easy maintenance reduces downtime (available on all Pro Series Vacuums)

PIGTAIL CORDS • • •



NITRO

QUICK DRAW



Backpack



| Features | CMNR-QD |
|---------------------|---|
| Motor | 10 AMPS |
| Motor Protection | Thermal and Pressure Activated |
| Belt Protection | - |
| Filtration | HEPA Media Filter |
| Handle Tube | Metal |
| Bottom Plate | Plastic |
| Brushroll | Metal with Replaceable Brushstrips |
| Brush Bearings | Ball Bearings |
| Cord Hook | Metal |
| Power Cord | 40', SJT, 3-Wire Commercial Grade with Pigtail |
| On-Board Tools | Metal Telescopic Wand and 11' Cleaning Reach |
| Wheels | Rubber Rear Wheels |
| Nozzle | 12.5" with Clear Bumper |
| Edge Cleaning | Side |
| Height Adjustment | 5 Positions |
| CFM (Average motor) | 107 |
| IOW (motor) | 121 |
| Warranty | 1 Year |
| Certifications | ETL Approved Carpet and Rug Institute Seal of Approval - Gold |

| Features | CM-WAV | CMBP-6 |
|---|---|--|
| System Type | Clean Air | Clean Air |
| Motor | Dual 1-HP Motors and Separate Brushroll Motor | 8.5 AMPS |
| Motor Protection | Yes | Yes |
| Filtration | 4-Stage Clean Air | HEPA Media Secondary, Micron Exhaust |
| Bottom Plate | Metal | ABS |
| Brushroll | Polycarbonate Core, Nylon Bristles | N/A |
| Cord Length | 75' | 50' |
| Tools | N/A | 3 Carpet Tools, Hard Floor Brush, Crevice Tool, Upholstery Tool, Dusting Brush, 5' Hose, 1.5" 2 Piece S Curve Wands, Comfort Fit Ergonomic Waist and Back Straps |
| Wheels | Non-Marking Rubber Casters and Rear Wheels | N/A |
| Less than 70 Decibel Rating | No | Yes |
| CFM/IOW | 224 CFM | 112/115 |
| Warranty | 1 Year | 1 Year |
| Carpet and Rug Institute Seal of Approval | Bronze | Gold |



CLEANER CARPETS AND HEALTHIER ENVIRONMENT

The CM-WAV has four stages of filtration for cleaner carpets and cleaner air.

Stage 1: A large capacity disposable paper filter bag keeps dirt where it belongs.

Stage 2: The paper filter bag is enclosed in a reusable cloth filter bag for an extra layer of filtration.

Stage 3: Each of the two vacuum motors contains an intake filter.

Stage 4: On the other side of the motor, a high-performance cartridge filters the motor exhaust.



COMFORT STRAPS

Thick shoulder straps and the waist belt adjust to all size operators and balance weight optimally.

CLEANMAX

Full Product Line



ZM-800.6



ZM-200



ZM-500



ZM-700



CMP-3N



CMP-3T



CMP-3QD



CMPS-QDZ



CMNR-QD



CMBP-6CL



CM-WAV



CMBP-6

Flat Out Better, but Don't Just Take Our Word for It ...

"The vacuum holds up very well, and the design makes it very easy and affordable to repair. I love the pigtail feature which allows us to change damaged cords on site instead of having to send them to maintenance. We are seeing an overall increase in profitability by switching to CleanMax vacuums in a reduced upfront cost and substantially lower cost of operation. We are very satisfied with our decision."

"Initially we were concerned since the CMPS-QD.2 cost significantly less than our current brand of vacuums, but we decided to give it a chance. After 9 months of use, the vacuum has proven itself a remarkable value. It is a very reliable, powerful and practical machine for our maids and staff."

"We love the Zoom for its functionality, durability, price point and low cost to repair and replace parts."

"We have used many brands of vacuums over the years... more than I can count... everything from high cost to low cost. Since giving CleanMax a try, we have been impressed with how well the vacuums pick up. CleanMax vacuums are priced fairly and outperform much of what I've seen on the market."



What Do CRI Ratings Mean?



You dine at five-star restaurants, see movies that received two thumbs up, and tend to listen to musicians who top the charts. So why not check the ratings on vacuums, too?

While the dirt on the carpet surface is what gets noticed, it's the deeply-embedded dirt that causes premature carpet wear. Don't just guess that your vacuum is removing this dirt—turn to the experts. The Carpet and Rug Institute (CRI) has developed a number of tests to identify top-notch vacuums that protect your carpet investment.

How Do Vacuums Receive a CRI Rating?

Vacuums with the CRI Seal of Approval must pass a number of tests to ensure they are cleaning effectively and leaving carpets undamaged during vacuuming.

- **Soil Removal:** vacuums must remove a substantial amount of dirt from carpeting.
- **Dust Containment:** dust must remain trapped and unable to re-enter the air after cleaning to ensure the indoor air quality isn't negatively affected by vacuuming.
- **Surface Appearance Change:** carpeting must be undamaged after repeated vacuuming.

If a vacuum cleaner passes these tests, it receives a CRI Seal of Approval, but it's not a simple pass or fail system. A vacuum that passes the Carpet and Rug Institute's stringent tests is then ranked gold, silver or bronze based on its combined scores on these tests.

Learn more about CRI at www.carpet-rug.org

**LEED
Qualifying**

What Does LEED-Qualifying Mean?

The U.S. Green Building Council developed the Leadership in Energy and Environmental Design (LEED) program to encourage greener construction and maintenance of homes and other buildings. How does this apply to vacuums? By using a LEED-qualifying vacuum cleaner, building owners can earn credits toward their LEED building rating.

LEED-qualifying vacuums must have a CRI seal of approval. They must also have rubber bumpers and an ergonomic design that minimizes vibration and noise during use. But it's not just sound that's important; cleaning is key to creating and maintaining healthy environments. Therefore, another critical aspect is filtration to ensure the vacuum has a positive effect on indoor air quality. To learn more about LEED-qualifying products, visit usbc.org/leed.

CLEANMAX[®]

People looking for vacuums with a better value proposition and lower cost of ownership are choosing CleanMax vacuums. Contact us today to learn how we can do the same for you.

CLEANMAX[®]

Customer Service and Sales: 866-785-1595

Email: orders@cleanmaxvacuums.com

Technical Services: 800-643-7459

Website: www.cleanmaxvacuums.com

BROUGHT TO YOU BY TACONY CORPORATION[®].

LKCB-CM
1-20